INTERNATIONAL JOURNAL OF MASS SPECTROMETRY AND ION PROCESSES, VOLUME 95 (1989)

AUTHOR INDEX

Alfred, R.L. 119

Barlow, S.E. 55
Baykut, G. 299
Becker, C.H. R1
Bernard, D.M. 327
Blanchard, W.C. 199
Bolton, P. 347
Burgers, P.C. 157

Chambers, H. 277
Chowdhury, S.K. 55
Consalvo, D. 359

de Koning, L.J. 71
DePuy, C.H. 55
Drewello, T. 157

Eyler, J.R. 299

Frenking, G. 109

Giardini-Guidoni, A. 359
Gormally, J. 93
Gotts, N.G. 327

Haib, J. 289
Hamdan, M. 243
Harris, F.M. 243
Harrison, A.G. 55
Hearn, B.A. 299
Hill, Jr., H.H. 277
Hill, N. 347

Jusinski, L.E. R1

Kort, C.W.F. 71

Langford, M.L. 243
Lauritsen, F.R. 259
Lillie, C.H. 277
Londry, F.A. 119

Maas, W.P.M. 171
Madhusudanan, K.P. 269
March, R.E. 119
Martin, W.B. 39
McMahon, A.W. 119
McMinn, D.G. 277
Mele, A. 359
Mercer, R.S. 55
Moro, L. R1

Nibbering, N.M.M. 71, 171

O'Malley, R.M. 39

Pinkse, F.A. 71

Romanowski, G. 223
Rordorf, B.F. 211
Rutschmann, S. 211

Schiess, P. 211
Schwarz, H. 157
Sreenivas Murthy, V. 269
Stace, A.J. 327
Stahl, D. 289, 347
Stranges, D. 359

Teghil, R. 359
Terlouw, J.K. 157
Todd, J.F.J. 119

van de Guchte, W.J. 317
van der Hart, W.J. 317
Vedel, F. 119

Wanczek, K.P. 1, 223
Watson, C.H. 299

INTERNATIONAL JOURNAL OF MASS SPECTROMETRY AND ION PROCESSES, VOLUME 95 (1989)

SUBJECT INDEX

acetone
an energy-resolved study of the fragmentation of some 2-substituted 2-propoxide ions and the rates of proton abstraction from –, 55
acetylene
non-resonant multiphoton ionization and fragmentation patterns of selected low-mass hydrocarbons: —, ethylene, ethane, propylene, propane, isobutylene and *cis*-2-butene, 39
alkoxide anions
mechanistic study of the collisionally activated dissociation of —, 289

BEBE four-sector MS
a—: a new lease of life for two old instruments, 347
benzocyclobutenedione
flow tube kinetics of — thermolysis by an automated instrument with integrated GC-ion trap MS analysis, 211
bridged species
CH_5N_2 hydrazyl radicals, cations and dication radicals studied by mass spectrometry. Is the N-protonated formaldehyde hydrazon cation $^+CH_2–NH–NH_2$ a —?, 157

cis-2-butene
non-resonant multiphoton ionization and fragmentation patterns of selected low-mass hydrocarbons: acetylene, ethylene, ethane, propylene, propane, isobutylene and —, 39
$^+CH_2–NH–NH_2$
CH_5N_2 hydrazyl radicals, cations and dication radicals studied by mass spectrometry. Is the N-protonated formaldehyde hydrazon cation — a bridged species?, 157
$(CO_2)_N^+$
studies of reactions of ionized carbon dioxide microclusters, 223
collision cell potential dependence
the determination of collisionally induced consecutive dissociations of ions by —, 171
consecutive dissociations
the determination of collisionally induced — of ions by collision cell potential dependence, 171
cubic ICR cells
excitation of the *z* motion of ions in cubic and elongated ion cyclotron resonance cells, 317

diffusion flames
construction of a mass spectrometer for sampling ions from —, 277

elongated ICR cells
excitation of the *z* motion of ions in cubic and —, 317
ethane
non-resonant multiphoton ionization and fragmentation patterns of selected low-mass hydrocarbons: acetylene, ethylene, —, propylene, propane, isobutylene and *cis*-2-butene, 39
ethylene
non-resonant multiphoton ionization and fragmentation patterns of selected low-mass hydrocarbons: acetylene, —, ethane, propylene, propane, isobutylene and *cis*-2-butene, 39
excited states
long-lived — of halocarbon cations identified in high-resolution charge-stripping experiments, 243

flow tube kinetics
— of benzocyclobutenedione thermolysis by an automated instrument with integrated GC–ion trap MS analysis, 211
FT–ICR
segmented Fourier transform and its application to — mass spectrometry: ion abundances and mass measurements, 71
an ion trajectory model for — mass spectrometry, 299

GC–ion trap MS
flow tube kinetics of benzocyclobutenedione thermolysis by an automated instrument with integrated — analysis, 211

halocarbon cations
long-lived excited states of — identified in high-resolution charge-stripping experiments, 243
high pressure spectrometry
using nonlinear fields in —, 199
hydrazyl cations
CH_5N_2 hydrazyl radicals, cations and dication radicals studied by mass spectrometry. Is the N-protonated formaldehyde hydrazon cation $^+CH_2-NH-NH_2$ a bridged species?, 157
hydrazyl dication radicals
CH_5N_2 hydrazyl radicals, cations and dication radicals studied by mass spectrometry. Is the N-protonated formaldehyde hydrazon cation $^+CH_2-NH-NH_2$ a bridged species?, 157
hydrazyl radicals
CH_5N_2 hydrazyl radicals, cations and dication radicals studied by mass spectrometry. Is the N-protonated formaldehyde hydrazon cation $^+CH_2-NH-NH_2$ a bridged species?, 157
hydrocarbons
non-resonant multiphoton ionization and fragmentation patterns of selected low-mass —: acetylene, ethylene, ethane, propylene, propane, isobutylene and *cis*-2-butene, 39

ICR spectrometry,
ICR spectrometry — a review of new developments in theory, instrumentation, and applications. I. 1983–1986, 1
ion trajectory model
an — for Fourier transform ion cyclotron resonance mass spectrometry, 299
isobutylene
non-resonant multiphoton ionization and fragmentation patterns of selected low-mass hydrocarbons: acetylene, ethylene, ethane, propylene, propane, — and *cis*-2-butene, 39

large inert gas clusters
unimolecular fragmentation of the methyl formate ion in association with —, 327
laser ablation
chemical reactivity of ionic clusters formed by — of solid oxides utilized in superconducting materials, 359
laser desorption MS
interference effects in —, 93
laser-induced desorption
infrared — of neutral organic compounds from frozen aqueous solution followed by single-photon ionization, R1

methyl formate ion
unimolecular fragmentation of the — in association with large inert gas clusters, 327
multiphoton ionization
non-resonant — and fragmentation patterns of selected low-mass hydrocarbons: acetylene, ethylene, ethane, propylene, propane, isobutylene and *cis*-2-butene, 39

nonlinear fields
using — in high pressure spectrometry, 199
nucleophiles
gas-phase reactions of — with α,β-unsaturated nitriles, 269

propane
non-resonant multiphoton ionization and fragmentation patterns of selected low-mass hydrocarbons: acetylene, ethylene, ethane, propylene, —, isobutylene and *cis*-2-butene, 39
propylene
non-resonant multiphoton ionization and fragmentation patterns of selected low-mass hydrocarbons: acetylene, ethylene, ethane, —, propane, isobutylene and *cis*-2-butene, 39
proton abstraction
an energy-resolved study of the fragmentation of some 2-substituted 2-propoxide ions and the rates of — from acetone, 55

quadrupole ion trap
resonance excitation of ions stored in a —. Part 1. A simulation study, 119

resonance excitation
— of ions stored in a quadrupole ion trap. Part 1. A simulation study, 119

single-photon ionization
infrared laser-induced desorption of neutral organic compounds from frozen aqueous solution followed by —, R1
solid oxides
chemical reactivity of ionic clusters formed by laser ablation of — utilized in superconducting materials, 359
superconducting materials
chemical reactivity of ionic clusters formed by laser ablation of solid oxides utilized in —, 359

unimolecular fragmentation
— of the methyl formate ion in association with large inert gas clusters, 327
α,β unsaturated nitriles
gas-phase reactions of nucleophiles with —, 269

vinylidene radical cation
theory and experiment in accord: the —, 109

volatile organic compounds
a new membrane inlet for on-line monitoring of dissolved, — with mass spectrometry, 259

z motion
excitation of the — of ions in cubic and elongated ion cyclotron resonance cells, 317